Setup for Best Practice 1.11.1.934 and above

Overview:

This guide provides instruction on configuring both Medical-Objects Capricorn and Best Practice software to import electronic results.

If you require any assistance with the installation or configuration, or if you have any questions, please contact the Medical-Objects Helpdesk on (07) 5456 6000.

If you have not Installed the Medical-Objects Download client, Please see the guide for Installing Capricorn on Windows.

Pre-Configuration Checks for Best Practice

If you have not done so already please confirm you have followed the instructions here before proceeding

Configuring Capricorn Software

Accessing the Capricorn Configuration Window

Note:

In some cases, the Capricorn may be configured as a service. See this guide for instructions on how to launch the Capricorn if it is set up as a service.

- To launch the HL7 Tray application, Go to Start Menu, All Programs, Medical-Objects and select the Medical-Objects Capricorn. Alternatively, You can go to C:\MO\Capricorn and run the Capricorn.exe.
- 2. The following icon will appear in the tray. Double click on it to bring up the log window.



3. When the log window is displayed, Click on the **Configuration** icon highlighted below, or select **Utility** and select **Configuration**.



Capricorn Configuration Settings

- 1. Once a base path is determined, via either option a or b below, 3 directories are required; **IN**, **OUT** and **ACK** (These paths may already exist).
 - a. If a base path for Medical Objects messaging has not been set in most cases C: \MO\Results\ can be used. This folder will need to be shared with read/write permissions on the network (Best Practice requires UNC paths for the import/export locations).
 - b. If the Capricorn is already installed you will more likely use the current base path set. This path may already have a network share associated with it and can be confirmed using a command prompt and checking the listing of "net share".
- 2. Click on Ack Management.

Set the Folder for Acks created by this practices PMS path to the ACK path related to the base path chosen in step 1.

Suggested:

1 Overview: 2 Pre-Configuration Checks for Best Practice 3 Configuring Capricorn Software 3.1 Accessing the Capricorn Configuration Window 3.2 Capricorn Configuration Settings 4 Configuring Best practice to Import Results 4.1 Checking imported results in Best Practice C:\MO\Results\Ack

Set the Folder to save external Acks for PMS path to the $\ensuremath{\text{IN}}$ path related to the base path chosen in step 1.

Suggested:

Note:

C:\MO\Results\In

Configuration Editor -	Capricorn Test (Client Capricorn)	>
Enter search text	Ack Management	
Ack Management Anonymous Users Auto-Upgrade	Folder for Acks created by this practices PMS (Receivers) C: (MO\Results\Ack	
Custom Messages Data Repository	Export Application Acks Ender to any automatic data for DMC (Condens acks)	
Display Segments Editing Defaults	C: WO/Results/In	۵
ELS File Extensions	Export all inbound Acks to the DEST_ACK folder	

If the folder does not exist, you must create it.

Make sure the results folder has **Modify, Read** and **Write** permissions, **AND** is shared on the Network.

3. Click on Integration Options.

Check that the **Incoming Modifier** is set to **Best Practice 1.11.1.934 and higher** and restart the Capricorn (It will create a deactivated sending queue for Best Practice for later in the walkthrough). **If this modifier is not available upgrade to Capricorn 3.2.13.130 or higher**.



4. Select Server Parameters from the left panel.



Under the Message Output Directory (main) set the results import path.

The recommended Import path is:

 $C:\MO\Results\In$

If the folder does not exist, you must create it.

Make sure the results folder has ${\bf Modify}, {\bf Read}$ and ${\bf Write}$ Permissions, ${\it AND}$ is shared on the Network.

5. Select Manage Queues. Select BP SENDING (If this is missing then setting the modifier and restarting the Capricorn was not correctly followed in step 3 above) Tick the Active check box, bottom right of the config screen, so the red X next to BP SENDING

changes to a green tick. Next select the Edit button and change the path to the Out path chosen in step 1.

r search text	Queues to wate	h for message	s				
	BP EOrderin	g Split Tests					
management	RD EOrdere						
ad Ingrade	V OF CONGES						
Maccanan	SP EORDER	581					
Reportory	BP EORDER	S 82					
ographic Source							
lay Segmente	K br Schuling	,					
no Defaulto							
ing benduna							
Extensions							
ward copies to							
PG Setup							
P Client							
gration Options							
listeners							
Network Domain							
no							
age Queues							
sage Src Exceptions							
us Provy Settings							
ne Applications							
er Management							
er Recipients							
er Routing							
Configuration							
Configuration							
tice Identifiers							
ional Ontions							
ort scanning							
lite EHR							
eduled Tasks							
er Group Manager							
er Parameters							
ver Setup							
ers to Route to							
ice Configuration							
p Global Parameters							
p Routing Details							
Agent							
med Lookup							
tific Servers							
Servers							
rade Applications							
rade Users	Page directory						
rs and Passwords	pase urectory						
dor Access	C: MODEMO (Cap	ricorns\Capri	corn Test\Out\			Ac	tive
Access							
9 Cert renewal	Cabus	Aulul	Remains	C.da	Oursey Mat Dath		
9 Organisation Cert	setup	Aud	Remove	cult	Query Net Path		

6. The configuration is complete. Click Apply and OK.

Configuring Best practice to Import Results

1. Open the Best Practice software.



- 2. Click **Setup** from the toolbar shown above.
- 3. Click on Configuration from the drop down menu.



- 4. The Configuration window should be displayed.
- First if Best Practice was previously setup to use the import paths you have chosen they will need to be removed so they don't compete with the new import rules.

Select Results Import from the left panel.

If any paths under **Acknowledgements** use the ACK path, in the Capricorn configuration above, they can be removed using the **Remove** button. If any paths under **Report file search paths** use the IN path, in the Capricorn configuration

above, to be used for importing then they will need to be removed by choosing the **Check paths** button.



6. Select the path/s that need to be deleted then choose Delete. Click Close when done.

🏓 Path check utility			>
Path	Purpose	Status	Computer
C:\USERS\TONY\DOCUMENTS\BEST PRACTICE\	All	Not found	BPPRODSAFFR
CIMORESULTSVINV	Results	Found	BPPRODSAFFR
	Deer	Dulu	Ch

7. Select Messaging.

In the **Messaging providers** list, if a Medical Objects doesn't exits then create one by selecting **Add.**

- A	Messaging providers	
	Add	
Templates	Em	ſ
A STATE	Delate	1
\$		-
Mag Gueue		
Mernager	Active calls set up to this provider	
	Destate	
	Check paths	
Messaging		
F7 3		
19		
Appointments		
-		
12A		
Appt Reminders		
87.3		
2.00		
Billing		
5 N		

8. Set the following settings.

Provider name: Medical Objects

If Medical Objects is your default or only messaging provider tick **Use as default messaging provider**. Tick **Use Allows Acknowledgements.**

Tick Include a formatted text OBX in REF.

Tick Use the same path on all computers if a UNC path is used like the screenshot below. Unti ckUse the same path on all computers if a local path like C:\MO\Results\ is used. A UNC path is advised as the better option to use if available.

Using a network share path, for the **IN**, **OUT** and **ACK** folders that were created at the start of this walk-through, populate the **Path for incoming messages**, **Path for outgoing messages** and **Path for acknowledgements**.

Click \$	Save.
----------	-------

Messaging pr	ovider		
Provider name:	Medical Obj	jects	
🗹 Use as defau	ult messaging	provider	Send CDA eReferrals
🗹 Allows Ackn	owledgments		Configure sending facility
Path for incomin	g messages:		
Wbpprodsaffror	wm\BPMOSI	hare\In	
Path for outgoin	g messages:		
\\bpprodsaffror	wm\BPMOSI	hare\Out	
Path for acknow	ledgements:		
	wm\BPMOSI	hare\Ack	
✓ Include a for	matted text O	BX in REF	
🗹 Use the sam	e path on all	computers	
Account ID (if a	oplicable):		
Password:			
Launch URL:			Port Number:
Load Config			Save Cancel

9. Select BP Service

Tick Use BP Service for importing results on this machine

Click Save.



Checking imported results in Best Practice

Important:

Please Note: Importing of results occurs on a timer schedule. You will no longer be able to force an import of results by opening the View and allocate incoming reports icon

1. Open Best Practice Software.



- 2. Click on the View and allocate incoming reports icon shown above.
- 3. The following window will open.

Elle Edit Yiew Help Image: State of the state of th	Show unallocated only report Test			
Image Image Image Date Patent name on reproductors Patent name on reproductors Date Patent name on reproductors Patent name on reproductors Date Patent name on reproductors Patent name on reproductors Date Tree Patent name on reproductors Patent name on reproductors Date Patent name on reproductors Patent name on reproductors Data Tree Patent name on reproductors Patent name on reproductors Data Tree Patent name on reproductors Patent name on reproductors Data Tree Patent name on reproductors Patent name on reproductors Data Tree Patent name on reproductors Patent name on reproductors Data Patent name on reproductors Patent name on reproductors Data Patent name on reproductors Patent name on reprocessors Data Patent name on reproductors Patent name on reproductors Data Patent name on reproductors Patent name on reproductors Data Patent name on reproductors Patent name on reproductors Data Patent name on reproductors Patent na	Show unallocated only			
Pind patient: Patient name on rep. Date Patient name on rep. 010102015 Teet PATIENT 7/01/2012 ANASTASIA ABBOT	Show unallocated only			
Date Patient name on IBD 010/2015 Test PATIENT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 MAREE ACKERIMAN MAREE ACKERIMAN	report Test			
0/10/2015 Text PATIENT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 ANASTASIA ABBOT 7/01/2012 MAREE ACKERMAN		Addressed to	Allocated to patient	Aloca
1701/2012 MAREE ACKERIUM 1802/2011 JASOB AHERN 1802/2011 JASOB AHERN <	DT USER KAS DT USER KAS DT USER KAS DT USER KAS DT USER KAS DT DT USER CHARTER ANN SE, DUTRE CHARTER ANN SC DOLE ANN SC DOLE SC DOLE COS DT DT CHARTER SE, DUTRE CHARTER SE, D	DRI KORCURE DRI KO	Anatana Akota Anatana Akota Anatana Akota Manasa Akota Mane Akamanan Mane Akamanan Mane Akamanan Mane Akamanan Mane Akamanan Mane Akamanan Mane Akamanan Mane Akamanan Linad Akin Linad Akin Kay Akan Janda Akin	D: I O D:

4. You can see that a test result has arrived.