GPComplete

Overview

This guide provides a basic overview on configuring the Medical-Objects Download Client (Capricorn) and GPComplete Practice software to import electronic results.

If you require any assistance with the installation or configuration, or if you have any questions, please contact the Medical-Objects Helpdesk on (07) 5456 6000.

If you have not Installed the Medical-Objects Download client, Please see the guide for Installing Capricorn on Windows.

Warning

Please note that GPComplete currently generates malformed acknowledgements. These acknowledgements should not be configured to be delivered by the Medical Objects network as they can cause major issues.

Configuring Capricorn Software

Accessing the Capricorn Configuration Window



In some cases, the Capricorn may be configured as a service. See this guide for instructions on how to launch the Capricorn if it is set up as a service.

- To launch the HL7 Tray application, Go to Start Menu, All Programs, Medical-Objects and select the Medical-Objects Capricorn. Alternatively, You can go to C:\MO\Capricorn and run the Capricorn.exe.
- 2. The following icon will appear in the tray. Double click on it to bring up the log window.



3. When the log window is displayed, Click on the **Configuration** icon highlighted below, or select **Utility** and select **Configuration**.



Capricorn Configuration Settings

1 Overview 2 Configuring Capricorn Software 2.1 Accessing the Capricorn Configuration Window 2.2 Capricorn Configuration Settings 3 Importing Into GPComplete

1. Click on Ack Management.

	Ack Management	
	Convert PMS Arks to generic Ark format	
Ack Management		
Anonymous Users	Folder for Acks created by this practices PMS (Receivers)	
Auto-Upgrade		
Custom Messages	Direct Andretic Adv	
Data Repository	Export Application Acks	
Demographic Source	Folder to save external Acks for PMS (Senders only)	
Display Segments		6
Editing Defaults		
ELS	Export all inbound Acks to the DEST_ACK folder	
File Extensions		
Chill DC Cables to		
GNUPG Setup		
Integration Options		
II D Lietanare		
Local Network Domain		
Loaging		
Manage Queues		
Message Src Exceptions		
Nexus Proxy Settings		
Online Applications		
Order Management		
Order Recipients		
Order Routing		
PGP Configuration		
PKI Configuration		
Practice Identifiers		
Regional Options		
Catalita EUD		
Scheduled Tasks		
Server Group Manager		
Server Parameters		
Server Setup		
Servers to Route to		
Service Configuration		
Setup Global Parameters		
Setup Routing Details		
SMD Agent		
Snomed Lookup		
Specific Servers		
Lograde Applications		
Lingrade Lisers		
Lisers and Passwords		
Vendor Access		
Web Access		
X509 Cert renewal		
X509 Organisation Cert		
XCN Fix		

- 2. Due to current malformed acknowledgements error (See warning at top of page). Make sure the **ACKManagement** Path is blank.
- 3. Click on Integration Options. 3.1 Check that the Incoming Modifier is set to GP Complete



4. Select Server Parameters from the left panel.

	Configuration Editor - (Client Capricorn)	li ×
Auto-Lograde Cuctom Messages Demographic Solice Demographic Solice Edition Defaults Edition Defaults Edition Defaults Charles Solice UP Literation Charles Solice UP Literation UP Literation UP Literation UP Literation Control Applications Control Applications School Control Control School Control Control Control Configurations School Configurations School Configurations School Configurations Control Configurations School Configurations Control Configurations School Configurations Control Configurations Control Configurations Control Configurations Control Configurations Control Configurations Configuratio	Private Interacts Starter Data Interacts Starter Data Interacts Starter Data Interacts Data Interacts Starter Data Interacts Or Interacts Starter Data Interacts Operation Interacts Operation Interacts Operation Interacts Starter Data Interacts Operation Interacts Operemotion Interacts <	Lad Ste Certificates
Help	Арріу	OK Cancel

The paths above are set as follows:

```
(Capricorn installed on a GPComplete Server Machine) --> C:\Program
Files\GPComplete\Service\RecFiles\
(Capricorn installed on a GPComplete Client Machine) -->
\\server\GPComplete\Service\RecFiles\
```

Note: If the folder does not exist, You must create it.

5. The Medical-Objects configuration is complete. Click Apply and OK.

Importing Into GPComplete

GPComplete does not require any configuration from Medical-Objects to import results. Below are the steps to manually import results.

1. Open the GPComplete main window.



2. Choose Reports from the top menu. Select Results and select Download Results.

SPCamber-1999 Charletter	Logist on a	nx 16/9	2010/12/42/17/98					- 0 ×
Applicate 2hf Extent Men	opt Enerd	ia borr	Administration	Resource: Section Large				
				E p lay				
- Appt Seven		G 4	phancel Search	2 Question Really				
Refush Beyzies	work want	12)	dr X3. 0. ey dr Chricel Search •	• Providen	MA Pose time (min) Paul		Print Lint
N D		4 6				Redressley, 4 July 2014		
100		- 2 1	D-MM			11	10	
Calendar O		11.2 -	gency Subsenent					
HINTFEE		2.0	indices has					
27 28 29 39 1 1 2 3	11.10		inial +					
11 12 13 14 15 16 17		1	utidus •					
10 15 20 21 22 23 24		2.	agal Report					
1234387								
Sel mar a								
Tow Resident 1	12							
New General Table 3								
New Fadh, Taolia 1 1								
B mailers 0								
Manager	1-							
1								
CES in Lesselt								
🕑 tetals 🛛 🗿								
	2.0							
	12							
	3							
	47							
D								
	5.00							8
Annen men per								
Age Green								

3. Results will download into GPComplete. If there are no new results, the below message will show. Select **Open InTray** to view results.

🖉 Confirmation	-	×
No new results were down	oaded.	
Open Intray	<u>C</u> lose	

If the results haven't been imported into the **InTray**, you may need to close the **InTray** and reopen it to allow it to refresh and list the imported results.