# **PDF Output**

### Overview

This guide provides a basic instruction on configuring the Medical-Objects Download Client (Capricorn) for out putting electronic results in a PDF format. This system is designed for practices who do not have a Practice Management System, or their system does not support result imports.

If you require any assistance with the installation or configuration, or if you have any questions, please contact the Medical-Objects Helpdesk on (07) 5456 6000.

If you have not Installed the Medical-Objects Download client, Please see the guide for Installing Capricorn on Windows.

## Configuring Capricorn Software

#### Accessing the Capricorn Configuration Window



In some cases, the Capricorn may be configured as a service. See this guide for instructions on how to launch the Capricorn if it is set up as a service.

- To launch the HL7 Tray application, Go to Start Menu, All Programs, Medical-Objects and select the Medical-Objects Capricorn. Alternatively, You can go to C:\MO\Capricorn and run the Capricorn.exe.
- 2. The following icon will appear in the tray. Double click on it to bring up the log window.



3. When the log window is displayed, Click on the **Configuration** icon highlighted below, or select **Utility** and select **Configuration**.



#### **Capricorn Configuration Settings**

1. Click on Ack Management.

1 Overview 2 Configuring Capricorn Software

2.1 Accessing the Capricorn Configuration Window 2.2 Capricorn Configuration Settings



2. Set the ACKManagement Path to the following path:

C:\MO\Capricorn\APPLICATION_	ACKS
------------------------------	------

#### 3. Click on Integration Options

3.1 Check that the Incoming Modifier is set to PDF Reports Modifier.

	Incoming Document Creation Online	
	The second s	
Ack Management	Use RSD (MD Documents) Bouert to Defaults	
Anonymous Users	Change Genie correspondence titles to Letter	
Auto-Upgrade	<ul> <li>Evaluate and Strip Signatures</li> </ul>	
Custom Messages	Convert to XML	
Data Repository	Convert to PIT	
Demographic Source	Disference TVT ALISTOL Display Segment Over Atomic For PTT	
Display Segments	Preference TXT A09-01 Display Segment Over Admit TV PT	
Editing Defaults	Provide Additional Workaround KP Link for Best Practice Summit and Below	
ELS	Disable RP HTML Patient Header Generation	
File Extensions	4 Detach Oversize AUSPDI modifier size limit (MB)	
Forward copies to		
GNUPG Setup	Convert To PIT On Specific Sending Facility HDs 2	
ni in client		
Untegration options		
Local Network Domain	Dulate Edit Jacob	
Local Network Domain	Delete Eait Insert	
Logging	Deserve Condine Facility in DT	
Manage Queues	A Mus Zurada Commit	
Nexus Provy Settings	Add HL / Header Segments	
Online Applications	Use short URLs for links	
Order Management	Doctor Display Format	
Order Recipients	De Dill Andrew Certific (Christin From Der Rul)	
Order Routing	Di bil Andrew Silitar (Salp - Holl Frenky	
PGP Configuration	Incoming Modifier	
PKI Configuration	PDE Reports Motifier	
Practice Identifiers	The response mountain	
Regional Options	Reset All Options To	
Report scanning	Custom Modifier Modifier Actions Modifier Defaults	
Satellite EHR		
Scheduled Tasks	Generated XHTML Encoding	
Server Group Manager	C ASCII C Hey C Base64	
Server Parameters		
Server Setup	Outgoing Document Options	
Servers to Route to	REF must contain PRD IR	
Service Connguration	Sender Validation for XML message supplied via REST	
Setup Gobal Parameters	Send message size limit (MB)	
Setup Routing Details		
SMD Agent		
Shomed Lookup		
Specific Servers		
ILS Servers		
Upgrade Applications		
Upgrade Users		
Users and Passwords		
Web Access		
VEOD Cash serviced		
X509 Certrenewal		
X509 Organisation Cert		
VCN EW		
XCN Fix		
XCN Fix		
XON Fix		
XON Fix		
XCN Fix		

4. For this installation we will just create a folder inside the C:\MO folder called Results. Inside that folder, create Inbox. You should now have C:\MO\Results\Inbox



- 5. Select Report Scanning from the left pane.
- 6. Select All Reports highlighted below.

-	Configuration Editor - (Client Capricorn)	
Auc Logade Cuctom Respective Design of the State Eding Defaults Eding Defaults Ed	Which reports should be accored?         ○ In ergots the accored (Spap Ducky Segment detachment configuration)         ○ Around and mapse         ○ Around and mapse         ○ Index of the innext.         ○ Protocolds         ○ Index of the innext.         ○ Protocolds         ○ Index of the innext.         ○ Protocolds         ○ Protocolds	
Нер	Apply OK	 ancei

- 7. Set the Path to save files: to the same folder used in Step 5, which was C:\MO\Results\Inbox
- 8. Set the Target Format to PDF as shown above.
- 9. Press the Apply and OK buttons when configurations are complete.



Note: You may need to create a folder within C:\MO\Results\Inbox called Archive. This is the folder where you can move your PDF results to once they have been viewed. The Capricorn will detect the change and send an acknowledgement back to the sender to let them know the result has been reviewed.

You will also need to create a shortcut icon on the desktop for the Inbox folder, and share the In box folder across the network should other computers need access to results.

For instructions on configuring the Capricorn as a service, Please see This Guide.

For instructions on configuring the Capricorn Notifications, Please see This Guide.